



## TECHNICAL DATA SHEET

Series

16

**SAR 718**

### ● SUMMARY

**ONE-WAY NEOPRENE ADHESIVE, USED FOR ABSORBING BEARINGS**

### ● CHARACTERISTICS

- Adhesive monocomponent
- Colour straw-yellow
- Viscosity at 20°C 4.350 cps, 90" Ford cup n° 8
- Open time permanent
- Specific weight at 20°C 0,85 +/- 0,01
- Reactivation temperature (°C) 50
- Solvents content according to current law regulations
- Flammable
- Chemical name polychloroprene in organic solvents

### ● APPLICATION

- Suitable both for automatic or manual insoles manufacture
- this can be applied onto insole or fibred carton, indistinctively
- once evaporated the solvent, fix manually or by machine
- and press even 48 hours later

**Notes:** it is suggested to use the adhesive at temperatures not lower than 18°; in case the material is stocked in cold ambients, recondition before using

### ● SOLVENTS

Use **SOLVENTE 31700** for thinnings

### ● PACKING

Tin of Kg. 15 net weight

### ● STORAGE

Shelf life: about 24 months if stored in well closed original packings in a dry and airy place.  
Keep from freezing and extreme heat.

This information is to the best of our knowledge true and accurate. However, all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control.

21-04-06 RM/pm